

Rational Deployment of CSP Heuristics

David Tolpin and Solomon Eyal Shimony

Department of Computer Science,
Ben-Gurion University of the Negev, Beer Sheva, Israel
{tolpin,shimony}@cs.bgu.ac.il

Abstract

Heuristics are crucial tools in decreasing search effort in varied fields of AI. In order to be effective, a heuristic must be efficient to compute, as well as provide useful information to the search algorithm. However, some well-known heuristics which do well in reducing backtracking are so heavy that the gain of deploying them in a search algorithm might be outweighed by their overhead.

We propose a rational metareasoning approach to decide when to deploy heuristics, using CSP backtracking search as a case study. In particular, a value of information approach is taken to adaptive deployment of solution-count estimation heuristics for value ordering. Empirical results show that indeed the proposed mechanism successfully balances the tradeoff between decreasing backtracking and heuristic computational overhead, resulting in a significant overall search time reduction.

1 Introduction

Large search spaces are common in artificial intelligence, heuristics being of major importance in limiting search efforts. The role of a heuristic, depending on type of search algorithm, is to decrease the number of nodes expanded (e.g. in A^* search), the number of candidate actions considered (planning), or the number of backtracks in constraint satisfaction problem (CSP) solvers. Nevertheless, some sophisticated heuristics have considerable computational overhead, significantly decreasing their overall effect [Horsch and Havens, 2000; Kask *et al.*, 2004], even causing *increased* total runtime in pathological cases. It has been recognized that control of this overhead can be essential to improve search performance; e.g. by selecting which heuristics to evaluate in a manner dependent on the state of the search [Wallace and Freuder, 1992; Domshlak *et al.*, 2010].

We propose a rational metareasoning approach [Russell and Wefald, 1991] to decide when and how to deploy heuristics, using CSP backtracking search as a case study. The heuristics examined are various *solution count estimate* heuristics for value ordering [Meisels *et al.*, 1997; Horsch and Havens, 2000], which are expensive to compute, but can sig-

nificantly decrease the number of backtracks. These heuristics make a good case study, as their overall utility, taking computational overhead into account, is sometimes detrimental; and yet, by employing these heuristics adaptively, it may still be possible to achieve an overall runtime improvement, even in these pathological cases. Following the metareasoning approach, the value of information (VOI) of a heuristic is defined in terms of total search time saved, and the heuristic is computed such that the expected net VOI is positive.

We begin with background on metareasoning and CSP (Section 2), followed by a re-statement of value ordering in terms of rational metareasoning (Section 3), allowing a definition of VOI of a value-ordering heuristics — a contribution of this paper. This scheme is then instantiated to handle our case-study of backtracking search in CSP (Section 4), with parameters specific to value-ordering heuristics based on solution-count estimates, the main contribution of this paper. Empirical results (Section 5) show that the proposed mechanism successfully balances the tradeoff between decreasing backtracking and heuristic computational overhead, resulting in a significant overall search time reduction. Other aspects of such tradeoffs are also analyzed empirically. Finally, related work is examined (Section 6), and possible future extensions of the proposed mechanism are discussed (Section 7).

2 Background

2.1 Rational metareasoning

In rational metareasoning [Russell and Wefald, 1991], a problem-solving agent can perform *base-level* actions from a known set $\{A_i\}$. Before committing to an action, the agent may perform a sequence of *meta-level* “deliberation” actions from a set $\{S_j\}$. At any given time there is an “optimal” base-level action, A_α , that maximizes the agent’s expected utility:

$$\alpha = \arg \max_i \sum_k P(W_k) U(A_i, W_k) \quad (1)$$

where $\{W_k\}$ is the set of possible world states, $U(A_i, W_k)$ is the utility of performing action A_i in state W_k , and $P(W_k)$ is the probability that the current world state is W_k .

A meta-level action provides information and affects the choice of the base-level action A_α . The *value of information* (VOI) of a meta-level action S_j is the expected difference between the expected utility of S_j and the expected utility

of the current A_α , where P is the current belief distribution about the state of world, and P^j is the belief-state distribution of the agent after the computational action S_j is performed, given the outcome of S_j :

$$V(S_j) = \mathbb{E}_P(\mathbb{E}_{P^j}(U(S_j)) - \mathbb{E}_{P^j}(U(A_\alpha))) \quad (2)$$

Under certain assumptions, it is possible to capture the dependence of utility on time in a separate notion of *time cost* C . Then, Equation (2) can be rewritten as:

$$V(S_j) = \Lambda(S_j) - C(S_j) \quad (3)$$

where the *intrinsic value of information*

$$\Lambda(S_j) = \mathbb{E}_P(\mathbb{E}_{P^j}(U(A_\alpha^j)) - \mathbb{E}_{P^j}(U(A_\alpha))) \quad (4)$$

is the expected difference between the *intrinsic expected utilities* of the new and the old selected base-level action, computed after the meta-level action is taken.

2.2 Constraint satisfaction

A constraint satisfaction problem (CSP) is defined by a set of variables $\mathcal{X} = \{X_1, X_2, \dots\}$, and a set of constraints $\mathcal{C} = \{C_1, C_2, \dots\}$. Each variable X_i has a non-empty domain D_i of possible values. Each constraint C_i involves some subset of the variables—the scope of the constraint—and specifies the allowable combinations of values for that subset. An assignment that does not violate any constraints is called *consistent* (or a *solution*). There are numerous variants of CSP settings and algorithmic paradigms. This paper focuses on binary CSPs over discrete-values variables, and backtracking search algorithms [Tsang, 1993].

A basic method used in numerous CSP search algorithm is that of maintaining arc consistency (MAC) [Sabin and Freuder, 1997]. There are several versions of MAC; all share the common notion of *arc consistency*. A variable X_i is arc-consistent with X_j if for every value a of X_i from the domain D_i there is a value b of X_j from the domain D_j satisfying the constraint between X_i and X_j . MAC maintains arc consistency for all pairs of variables, and speeds up backtracking search by pruning many inconsistent branches.

CSP backtracking search algorithms typically employ both variable-ordering [Tsang, 1993] and value-ordering heuristics. The latter type include *minimum conflicts* [Tsang, 1993], which orders values by the number of conflicts they cause with unassigned variables, *Geelen’s promise* [Geelen, 1992]—by the product of domain sizes, and *minimum impact* [Refalo, 2004] orders values by relative impact of the value assignment on the product of the domain sizes.

Some value-ordering heuristics are based on solution count estimates [Meisels *et al.*, 1997; Horsch and Havens, 2000; Kask *et al.*, 2004]: solution counts for each value assignment of the current variable are estimated, and assignments (branches) with the greatest solution count are searched first. The heuristics are based on the assumption that the estimates are correlated with the true number of solutions, and thus a greater solution count estimate means a higher probability that a solution be found in a branch, as well as a shorter search time to find the first solution if one exists in that branch. [Meisels *et al.*, 1997] estimate solution counts by approximating marginal probabilities in a Bayesian network derived

from the constraint graph; [Horsch and Havens, 2000] propose the *probabilistic arc consistency* heuristic (pAC) based on iterative belief propagation for a better accuracy of relative solution count estimates; [Kask *et al.*, 2004] adapt Iterative Join-Graph Propagation to solution counting, allowing a tradeoff between accuracy and complexity. These methods vary by computation time and precision, although all are rather computationally heavy. Principles of rational metareasoning can be applied independently of the choice of implementation, to decide when to deploy these heuristics.

3 Rational Value-Ordering

The role of (dynamic) value ordering is to determine the order of values to assign to a variable X_k from its domain D_k , at a search state where values have already been assigned to (X_1, \dots, X_{k-1}) . We make the standard assumption that the ordering may depend on the search state, but is not recomputed as a result of backtracking from the initial value assignments to X_k : a new ordering is considered only after backtracking up the search tree above X_k .

Value ordering heuristics provide information on future search efforts, which can be summarized by 2 parameters:

- T_i —the expected time to find a solution containing assignment $X_k = y_{ki}$ or verify that there are no such solutions;
- p_i —the “backtracking probability”, that there will be no solution consistent with $X_k = y_{ki}$.

These are treated as the algorithm’s subjective probabilities about future search in the current problem instance, rather than actual distributions over problem instances. Assuming correct values of these parameters, and independence of backtracks, the expected remaining search time in the subtree under X_k for ordering ω is given by:

$$T^{s|\omega} = T_{\omega(1)} + \sum_{i=2}^{|D_k|} T_{\omega(i)} \prod_{j=1}^{i-1} p_{\omega(j)} \quad (5)$$

In terms of rational metareasoning, the “current” optimal base-level action is picking the ω which optimizes $T^{s|\omega}$. Based on a general property of functions on sequences [Monma and Sidney, 1979], it can be shown that $T^{s|\omega}$ is minimal if the values are sorted by increasing order of $\frac{T_i}{1-p_i}$.

A candidate heuristic H (with computation time T^H) generates an ordering by providing an updated (hopefully more precise) value of the parameters T_i, p_i for value assignments $X_k = y_{ki}$, which may lead to a new optimal ordering ω_H , corresponding to a new base-level action. The total expected remaining search time is given by:

$$T = T^H + E[T^{s|\omega_H}] \quad (6)$$

Since both T^H (the “time cost” of H in metareasoning terms) and $T^{s|\omega_H}$ contribute to T , even a heuristic that improves the estimates and ordering may not be useful. It may be better not to deploy H at all, or to update T_i, p_i only for some of the assignments. According to the rational metareasoning approach (Section 2.1), the intrinsic VOI Λ_i of estimating T_i, p_i for the i th assignment is the expected decrease

in the expected search time:

$$\Lambda_i = \mathbb{E} \left[T^{s|\omega_-} - T^{s|\omega_{+i}} \right] \quad (7)$$

where ω_- is the optimal ordering based on priors, and ω_{+i} on values after updating T_i, p_i . Computing new estimates (with overhead T^c) for values T_i, p_i is beneficial just when the net VOI is positive:

$$V_i = \Lambda_i - T^c \quad (8)$$

To simplify estimation of Λ_i , the expected search time of an ordering is estimated as though the parameters are computed only for $\omega_-(1)$, i.e. for the first value in the ordering; essentially, this is the metareasoning subtree independence assumption. Other value assignments are assumed to have the prior (“default”) parameters $T_{\text{def}}, p_{\text{def}}$. Assuming w.l.o.g. that $\omega_-(1) = 1$:

$$T^{s|\omega_-} = T_1 + p_1 \sum_{i=2}^{|D_k|} T_{\text{def}} p_{\text{def}}^{i-2} = T_1 + p_1 T_{\text{def}} \frac{1 - p_{\text{def}}^{|D_k|-1}}{1 - p_{\text{def}}} \quad (9)$$

and the intrinsic VOI of the i th deliberation action is:

$$\Lambda_i = \mathbb{E} \left[G(T_i, p_i) \mid \frac{T_i}{1 - p_i} < \frac{T_1}{1 - p_1} \right] \quad (10)$$

where $G(T_i, p_i)$ is the search time gain given the heuristically computed values T_i, p_i :

$$G(T_i, p_i) = T_1 - T_i + (p_1 - p_i) T_{\text{def}} \frac{1 - p_{\text{def}}^{|D_k|-1}}{1 - p_{\text{def}}} \quad (11)$$

In some cases, H provides estimates only for the expected search time T_i . In such cases, the backtracking probability p_i can be bounded by the Markov inequality as the probability for the given assignment that the time t to find a solution or to verify that no solution exists is at least the time T_i^{all} to find all solutions: $p_i = P(t \geq T_i^{\text{all}}) \leq \frac{T_i}{T_i^{\text{all}}}$, and the bound can be used to estimate the probability:

$$p_i \approx \frac{T_i}{T_i^{\text{all}}} \quad (12)$$

Furthermore, note that in harder problems the probability of backtracking from variable X_k is proportional to $p_{\text{def}}^{|D_k|-1}$, and it is reasonable to assume that backtracking probabilities above X_k (trying values for X_1, \dots, X_{k-1}) are still significantly greater than 0. Thus, the “default” backtracking probability p_{def} is close to 1, and consequently:

$$T_i^{\text{all}} \approx T_{\text{def}}, \quad \frac{1 - p_{\text{def}}^{|D_k|-1}}{1 - p_{\text{def}}} \approx |D_k| - 1 \quad (13)$$

By substituting (12), (13) into (11), estimate (14) for $G(T_i, p_i)$ is obtained:

$$\begin{aligned} G(T_i, p_i) &\approx T_1 - T_i + \left(\frac{T_1}{T_1^{\text{all}}} - \frac{T_i}{T_i^{\text{all}}} \right) T_{\text{def}} \frac{1 - p_{\text{def}}^{|D_k|-1}}{1 - p_{\text{def}}} \\ &\approx (T_1 - T_i) |D_k| \end{aligned} \quad (14)$$

Finally, since (12), (13) imply that $T_i < T_1 \Leftrightarrow \frac{T_i}{1 - p_i} < \frac{T_1}{1 - p_1}$,

$$\Lambda_i \approx \mathbb{E} \left[(T_1 - T_i) |D_k| \mid T_i < T_1 \right] \quad (15)$$

4 VOI of Solution Count Estimates

The estimated solution count for an assignment may be used to estimate the expected time to find a solution for the assignment under the following assumptions¹:

1. Solutions are roughly evenly distributed in the search space, that is, the distribution of time to find a solution can be modeled by a Poisson process.
2. Finding all solutions for an assignment $X_k = y_{ki}$ takes roughly the same time for all assignments to the variable X_k . Prior work [Meisels *et al.*, 1997; Kask *et al.*, 2004] demonstrates that ignoring the differences in subproblem sizes is justified.
3. The expected time to find all solutions for an assignment divided by its solution count estimate is a reasonable estimate for the expected time to find a single solution.

Based on these assumptions, T_i can be estimated as $\frac{T^{\text{all}}}{|D_k| n_i}$ where T^{all} is the expected time to find all solutions for all values of X_k , and n_i is the solution count estimate for y_{ki} ; likewise, $T_1 = \frac{T^{\text{all}}}{|D_k| n_{\text{max}}}$, where n_{max} is the currently greatest n_i . By substituting the expressions for T_i, T_1 into (15), obtain as the intrinsic VOI of computing n_i :

$$\Lambda_i = T^{\text{all}} \sum_{n=n_{\text{max}}}^{\infty} \left(\frac{1}{n_{\text{max}}} - \frac{1}{n} \right) P(n, \nu) \quad (16)$$

where $P(n, \nu) = e^{-\nu} \frac{\nu^n}{n!}$ is the probability, according to the Poisson distribution, to find n solutions for a particular assignment when the mean number of solutions per assignment is $\nu = \frac{N}{|D_k|}$, and N is the estimated solution count for all values of X_k , computed at an earlier stage of the algorithm.

Neither T^{all} nor T^c , the time to estimate the solution count for an assignment, are known. However, for relatively low solution counts, when an invocation of the heuristic has high intrinsic VOI, both T^{all} and T^c are mostly determined by the time spent eliminating non-solutions. Therefore, T^c can be assumed approximately proportional to $\frac{T^{\text{all}}}{|D_k|}$, the average time to find all solutions for a single assignment, with an unknown factor $\gamma < 1$:

$$T^c \approx \gamma \frac{T^{\text{all}}}{|D_k|} \quad (17)$$

Then, T^{all} can be eliminated from both T^c and Λ . Following Equation (8), the solution count should be estimated whenever the net VOI is positive:

$$V(n_{\text{max}}) \propto |D_k| e^{-\nu} \sum_{n=n_{\text{max}}}^{\infty} \left(\frac{1}{n_{\text{max}}} - \frac{1}{n} \right) \frac{\nu^n}{n!} - \gamma \quad (18)$$

The infinite series in (18) rapidly converges, and an approximation of the sum can be computed efficiently. As done in

¹We do not claim that this is a valid model of CSP search; rather, we argue that even with such a crude model one can get significant runtime improvements.

Section 5, γ can be learned offline from a set of problem instances of a certain kind for the given implementation of the search algorithm and the solution counting heuristic.

Algorithm 1 implements rational value ordering. The procedure receives problem instance csp with assigned values for variables X_1, \dots, X_{k-1} , variable X_k to be ordered, and estimate N of the number of solutions of the problem instance (line 1); N is computed at the previous step of the backtracking algorithm as the solution count estimate for the chosen assignment for X_{k-1} , or, if $k = 1$, at the beginning of the search as the total solution count estimate for the instance. Solution counts n_i for some of the assignments are estimated (lines 4–9) by selectively invoking the heuristic computation ESTIMATESOLUTIONCOUNT (line 8), and then the domain of X_k , ordered by non-increasing solution count estimates of value assignments, is returned (lines 11–12).

Algorithm 1 Value Ordering via Solution Count Estimation

```

1: procedure VALUEORDERING-SC( $csp, X_k, N$ )
2:    $D \leftarrow D_k, n_{\max} \leftarrow \frac{N}{|D|}$ 
3:   for all  $i$  in  $1..|D|$  do  $n_i \leftarrow n_{\max}$ 
4:   while  $V(n_{\max}) > 0$  do  $\triangleright$  using Equation (18)
5:     choose  $y_{ki} \in D$  arbitrarily
6:      $D \leftarrow D \setminus \{y_{ki}\}$ 
7:      $csp' \leftarrow csp$  with  $D_k = \{y_{ki}\}$ 
8:      $n_i \leftarrow$  ESTIMATESOLUTIONCOUNT( $csp'$ )
9:     if  $n_i > n_{\max}$  then  $n_{\max} \leftarrow n_i$ 
10:  end while
11:   $D_{ord} \leftarrow$  sort  $D_k$  by non-increasing  $n_i$ 
12:  return  $D_{ord}$ 

```

5 Empirical Evaluation

Specifying the algorithm parameter γ is the first issue. γ should be a characteristic of the implementation of the search algorithm, rather than of the problem instance; it is also desirable that the performance of the algorithm not be too sensitive to fine tuning of this parameter.

Most of the experiments were conducted on sets of random problem instances generated according to Model RB [Xu and Li, 2000]. The empirical evaluation was performed in two stages. In the first stage, several benchmarks were solved for a wide range of values of γ , and an appropriate value for γ was chosen. In the second stage, the search was run on two sets of problem instances with the chosen γ , as well as with exhaustive deployment, and with the minimum conflicts heuristic, and the search time distributions were compared for each of the value-ordering heuristics.

The AC-3 version of MAC was used for the experiments, with some modifications [Sabin and Freuder, 1997]. Variables were ordered using the maximum degree variable ordering heuristic.² The value-ordering heuristic was based on a version of the solution count estimate proposed in [Meisels

²A dynamic variable ordering heuristic, such as dom/deg, may result in shorter search times in general, but gave no significant improvement in our experiments; on the other hand, static variable ordering simplifies the analysis.

et al., 1997]. The version used in this paper was optimized for better computation time for overconstrained problem instances. As a result, Equation (17) is a reasonable approximation for this implementation. The source code is available from <http://ftp.davidashen.net/vsc.tar.gz>.

5.1 Benchmarks




Figure 1: Influence of γ in CSP benchmarks

CSP benchmarks from CSP Solver Competition 2005 [Boussemart *et al.*, 2005] were used. 14 out of 26 benchmarks solved by at least one of the solvers submitted for the competition could be solved with 30 minutes timeout by the solver used for this empirical study for all values of γ : $\gamma = 0$ and the exponential range $\gamma \in \{10^{-7}, 10^{-6}, \dots, 1\}$, as well as with the minimum-conflicts heuristic and the pAC heuristic.

Figure 1.a shows the mean search time of VOI-driven solution count estimate deployment T_{VSC} normalized by the search time of exhaustive deployment T_{SC} ($\gamma = 0$), for the minimum conflicts heuristic T_{MC} , and for the pAC heuristic T_{PAC} . The shortest search time on average is achieved by VSC for $\gamma \in [10^{-4}, 3 \cdot 10^{-3}]$ (shaded in the figure) and is much shorter than for SC (mean $\left(\frac{T_{VSC}(10^{-3})}{T_{SC}}\right) \approx 0.45$); the improvement was actually close to the “ideal” of getting all the information provided by the heuristic without paying the overhead at all. For all but one of the 14 benchmarks the search time for VSC with $\gamma = 3 \cdot 10^{-3}$ is shorter than for MC. For most values of γ , VSC gives better results than MC ($\frac{T_{VSC}}{T_{MC}} < 1$). pAC always results in the longest search time due to the computational overhead.

Figure 1.b shows the mean number of backtracks of VOI-driven deployment N_{VSC} normalized by the number of backtracks of exhaustive deployment N_{SC} , the minimum conflicts heuristic N_{MC} , and for the pAC heuristic \bar{N}_{pAC} . VSC causes less backtracking than MC for $\gamma \leq 3 \cdot 10^{-3}$ ($\frac{N_{VSC}}{N_{MC}} < 1$). pAC always causes less backtracking than other heuristics, but has overwhelming computational overhead.

Figure 1.c shows C_{VSC} , the number of estimated solution counts of VOI-driven deployment, normalized by the number of estimated solution counts of exhaustive deployment C_{SC} . When $\gamma = 10^{-3}$ and the best search time is achieved, the solution counts are estimated only in a relatively small number of search states: the average number of estimations is ten times smaller than in the exhaustive case (mean $(\frac{C_{VSC}(10^{-3})}{C_{SC}}) \approx 0.099$, median $(\frac{C_{VSC}(10^{-3})}{C_{SC}}) \approx 0.048$).

The results show that although the solution counting heuristic may provide significant improvement in the search time, further improvement is achieved when the solution count is estimated only in a small fraction of occasions selected using rational metareasoning.




Figure 2: Search time comparison on sets of random instances (using Model RB)

5.2 Random instances

Based on the results on benchmarks, we chose $\gamma = 10^{-3}$, and applied it to two sets of 100 problem instances. Exhaustive deployment, rational deployment, the minimum conflicts heuristic, and probabilistic arc consistency were compared.

The first, easier, set was generated with 30 variables, 30 values per domain, 280 constraints, and 220 nogood pairs per constraint ($p = 0.24$, $p_{crit} = 0.30$). Search time distributions are presented in Figure 2.a. The shortest mean search time is achieved for rational deployment, with exhaustive deployment next ($\frac{\bar{T}_{SC}}{\bar{T}_{VSC}} \approx 1.75$), followed by the minimum conflicts heuristic ($\frac{\bar{T}_{MC}}{\bar{T}_{VSC}} \approx 2.16$) and probabilis-

tic arc consistency ($\frac{\bar{T}_{pAC}}{\bar{T}_{VSC}} \approx 3.42$). Additionally, while the search time distributions for solution counting are sharp ($\frac{\max T_{SC}}{\bar{T}_{SC}} \approx 1.08$, $\frac{\max T_{VSC}}{\bar{T}_{VSC}} \approx 1.73$), the distribution for the minimum conflicts heuristic has a long tail with a much longer worst case time ($\frac{\max T_{VSC}}{\bar{T}_{VSC}} \approx 5.67$).

The second, harder, set was generated with 40 variables, 19 values, 410 constraints, 90 nogood pairs per constraint (exactly at the phase transition: $p = p_{crit} = 0.25$). Search time distributions are presented in Figure 2.b. As with the first set, the shortest mean search time is achieved for rational deployment: $\frac{\bar{T}_{SC}}{\bar{T}_{VSC}} \approx 1.43$, while the relative mean search time for the minimum conflicts heuristic is much longer: $\frac{\bar{T}_{MC}}{\bar{T}_{VSC}} \approx 3.45$. The probabilistic arc consistency heuristic resulted again in the longest search time due to the overhead of computing relative solution count estimates by loopy belief propagation: $\frac{\max T_{VSC}}{\bar{T}_{VSC}} \approx 3.91$.

Thus, the value of γ chosen based on a small set of hard instances gives good results on a set of instances with different parameters and of varying hardness.

5.3 Generalized Sudoku

Randomly generated problem instances have played a key role in the design and study of heuristics for CSP. However, one might argue that the benefits of our scheme are specific to model RB. Indeed, real-world problem instances often have much more structure than random instances generated according to Model RB. Hence, we repeated the experiments on randomly generated Generalized Sudoku instances [Ansótegui *et al.*, 2006], since this domain is highly structured, and thus a better source of realistic problems with a controlled measure of hardness.

The search was run on two sets of 100 Generalized Sudoku instances, with 4x3 tiles and 90 holes and with 7x4 tiles and 357 holes, with holes punched using the doubly balanced method [Ansótegui *et al.*, 2006]. The search was repeated on each instance with the exhaustive solution-counting, VOI-driven solution counting (with the same value of $\gamma = 10^{-3}$ as for the RB model problems), minimum conflicts, and probabilistic arc consistency value ordering heuristics. Results are summarized in Table 1 and show that relative performance of the methods on Generalized Sudoku is similar to the performance on Model RB.

	\bar{T}_{SC} , sec	$(\frac{\bar{T}_{VSC}}{\bar{T}_{SC}})$	$(\frac{\bar{T}_{MC}}{\bar{T}_{SC}})$	$(\frac{\bar{T}_{pAC}}{\bar{T}_{SC}})$
4x3, 90 holes	1.809	0.755	1.278	22.421
7x4, 357 holes	21.328	0.868	3.889	3.826

Table 1: Generalized Sudoku

5.4 Deployment patterns

One might ask whether trivial methods for selective deployment would work, such as estimating solution counts for a certain number of assignments in the beginning of the search. We examined deployment patterns of VOI-driven SC with ($\gamma = 10^{-3}$) on several instances of different hardness. For

all instances, the solution counts were estimated at varying rates during *all stages* of the search, and the deployment patterns differed between the instances, so a simple deployment scheme seems unlikely.

VOI-driven deployment also compares favorably to random deployment. Table 2 shows performance of VOI-driven deployment for $\gamma = 10^{-3}$ and of uniform random deployment, with total number of solution count estimations equal to that of the VOI-driven deployment. For both schemes, the values for which solution counts were not estimated were ordered randomly, and the search was repeated 20 times. The mean search time for the random deployment is ≈ 1.6 times longer than for the VOI-driven deployment, and has ≈ 100 times greater standard deviation.

	mean(T), sec	median(T), sec	sd(T), sec
VOI-driven	19.841	19.815	0.188
random	31.421	42.085	20.038

Table 2: VOI-driven vs. random deployment

6 Discussion and Related Work

The principles of bounded rationality appear in [Horvitz, 1987]. [Russell and Wefald, 1991] provided a formal description of rational metareasoning and case studies of applications in several problem domains. A typical use of rational metareasoning in search is in finding which node to expand, or in a CSP context determining a variable or value assignment. The approach taken in this paper adapts these methods to whether to spend the time to compute a heuristic.

Runtime selection of heuristics has lately been of interest, e.g. deploying heuristics for planning [Domshlak *et al.*, 2010]. The approach taken is usually that of *learning* which heuristics to deploy based on features of the search state. Although our approach can also benefit from learning, since we have a parameter that needs to be tuned, its value is mostly algorithm dependent, rather than problem-instance dependent. This simplifies learning considerably, as opposed to having to learn a classifier from scratch. Comparing metareasoning techniques to learning techniques (or possibly a combination of both, e.g. by learning more precise distribution models) is an interesting issue for future research.

Although rational metareasoning is applicable to other types of heuristics, solution-count estimation heuristics are natural candidates for the type of optimization suggested in this paper. [Dechter and Pearl, 1987] first suggested solution count estimates as a value-ordering heuristic (using propagation on trees) for constraint satisfaction problems, refined in [Meisels *et al.*, 1997] to multi-path propagation.

[Horsch and Havens, 2000] used a value-ordering heuristic that estimated relative solution counts to solve constraint satisfaction problems and demonstrated efficiency of their algorithm (called pAC, probabilistic Arc Consistency). However, the computational overhead of the heuristic was large, and the relative solution counts were computed offline. [Kask *et al.*, 2004] introduced a CSP algorithm with a solution counting heuristic based on the Iterative Join-Graph Propagation

(IJGP-SC), and empirically showed performance advances over MAC in most cases. In several cases IJGP-SC was still slower than MAC due to the computational overhead. [Kask *et al.*, 2004] also used the IJGP-SC heuristic as the value ordering heuristic for MAC.

Impact-based value ordering [Refalo, 2004] is another heavy informative heuristic. One way to decrease its overhead, suggested in [Refalo, 2004], is to learn the impact of an assignment by averaging the impact of earlier assignments of the same value to the same variable. Rational deployment of this heuristic by estimating the probability of backtracking based on the impact may be possible, an issue for future research. [Gomes *et al.*, 2007] propose a technique that adds random generalized XOR constraints and counts solutions with high precision, but at present requires *solving* CSPs, thus seems not to be immediately applicable as a search heuristic.

The work presented in this paper differs from the above related schemes in that it does not attempt to introduce new heuristics or solution-count estimates. Rather, an “off the shelf” heuristic is deployed selectively based on value of information, thereby significantly reducing the heuristic’s “effective” computational overhead, with an improvement in performance for problems of different size and hardness.

7 Summary and Future Research

This paper suggests a model for adaptive deployment of value ordering heuristics in algorithms for constraint satisfaction problems. As a case study, the model was applied to a value-ordering heuristic based on solution count estimates, and a steady improvement in the overall algorithm performance was achieved compared to *always* computing the estimates, as well as to other simple deployment tactics. The experiments showed that for many problem instances the optimum performance is achieved when solution counts are estimated only in a relatively small number of search states.

The methods introduced in this paper can be extended in numerous ways. First, generalization of the VOI to deploy different types of heuristics for CSP, such as variable ordering heuristics, as well as reasoning about deployment of more than one heuristic at a time, are natural non-trivial extensions. Second, an explicit evaluation of the quality of the distribution model is an interesting issue, coupled with a better candidate model of the distribution. Such distribution models can also employ more disciplined statistical learning methods in tandem, as suggested above. Finally, applying the methods suggested in this paper to search in other domains can be attempted, especially to heuristics for planning. In particular, examining whether the meta-reasoning scheme can improve reasoning over deployment of heuristics based solely on learning methods is an interesting future research issue.

Acknowledgments

The research is partially supported by the IMG4 Consortium under the MAGNET program of the Israeli Ministry of Trade and Industry, by Israel Science Foundation grant 305/09, by the Lynne and William Frankel Center for Computer Sciences, and by the Paul Ivanier Center for Robotics Research and Production Management.

References

- [Ansótegui *et al.*, 2006] Carlos Ansótegui, Ramón Béjar, César Fernández, Carla Gomes, and Carles Mateu. The impact of balancing on problem hardness in a highly structured domain. In *Proc. of 9th Int. Conf. on Theory and Applications of Satisfiability Testing (SAT 06)*, 2006.
- [Boussemart *et al.*, 2005] Frédéric Boussemart, Fred Hemery, and Christophe Lecoutre. Description and representation of the problems selected for the first international constraint satisfaction solver competition. Technical report, Proc. of CPAI'05 workshop, 2005.
- [Dechter and Pearl, 1987] Rina Dechter and Judea Pearl. Network-based heuristics for constraint-satisfaction problems. *Artif. Intell.*, 34:1–38, December 1987.
- [Domshlak *et al.*, 2010] Carmel Domshlak, Erez Karpas, and Shaul Markovitch. To max or not to max: Online learning for speeding up optimal planning. In *AAAI*, 2010.
- [Geelen, 1992] Pieter Andreas Geelen. Dual viewpoint heuristics for binary constraint satisfaction problems. In *Proc. 10th European Conf. on AI, ECAI '92*, pages 31–35, New York, NY, USA, 1992. John Wiley & Sons, Inc.
- [Gomes *et al.*, 2007] Carla P. Gomes, Willem van Hoeve, Ashish Sabharwal, and Bart Selman. Counting CSP solutions using generalized XOR constraints. In *AAAI*, pages 204–209, 2007.
- [Horsch and Havens, 2000] Michael C. Horsch and William S. Havens. Probabilistic arc consistency: A connection between constraint reasoning and probabilistic reasoning. In *UAI*, pages 282–290, 2000.
- [Horvitz, 1987] Eric J. Horvitz. Reasoning about beliefs and actions under computational resource constraints. In *Proceedings of the 1987 Workshop on Uncertainty in Artificial Intelligence*, pages 429–444, 1987.
- [Kask *et al.*, 2004] Kaley Kask, Rina Dechter, and Vibhav Gogate. Counting-based look-ahead schemes for constraint satisfaction. In *Proc. of 10th Int. Conf. on Constraint Programming (CP04)*, pages 317–331, 2004.
- [Meisels *et al.*, 1997] Amnon Meisels, Solomon Eyal Shimony, and Gadi Solotorevsky. Bayes networks for estimating the number of solutions to a CSP. In *Proc. of the 14th National Conference on AI*, pages 179–184, 1997.
- [Monma and Sidney, 1979] Clyde L. Monma and Jeffrey B. Sidney. Sequencing with series-parallel precedence constraints. *Mathematics of Operations Research*, 4(3):215–224, August 1979.
- [Refalo, 2004] Philippe Refalo. Impact-based search strategies for constraint programming. In *CP*, pages 557–571. Springer, 2004.
- [Russell and Wefald, 1991] Stuart Russell and Eric Wefald. *Do the right thing: studies in limited rationality*. MIT Press, Cambridge, MA, USA, 1991.
- [Sabin and Freuder, 1997] Daniel Sabin and Eugene C. Freuder. Understanding and improving the MAC algorithm. In *3rd Int. Conf. on Principles and Practice of Constraint Programming, LNCS 1330*, pages 167–181. Springer, 1997.
- [Tsang, 1993] Edward Tsang. *Foundations of Constraint Satisfaction*. Academic Press, London and San Diego, 1993.
- [Wallace and Freuder, 1992] Richard J. Wallace and Eugene C. Freuder. Ordering heuristics for arc consistency algorithms. In *AI/GI/VI 92*, pages 163–169, 1992.
- [Xu and Li, 2000] Ke Xu and Wei Li. Exact phase transitions in random constraint satisfaction problems. *Journal of Artificial Intelligence Research*, 12:93–103, 2000.